



# STARESSO

PORTABLE ESPRESSO  
MAKER

MIRAGE

■ SP-300 PLUS ■



O Ring Replacement Position



Read this manual before use and keep it for future reference. The product is not for children to use. Please clean this product with hot water before use, beware of hot water when cleaning & using.

SPECIFICATIONS

Model No	SP-300
Capacity	water chamber 180ml, coffee cup 100ml
Main material	SUS304, PP, Silicon, PA66, ABS
Ground coffee	15-20g

## STEP 1 Set/Fold Bracket

**Setting** As shown in the picture, pull down the bracket till you hear the locking sound. Then place it on a stable surface.

**Folding** As shown in the picture, pull down the moveable switch to release the bracket and then simply fold them up.



## STEP 2 Fill With Ground Coffee

### Ground Coffee

Fill the coffee basket with ground coffee and press it tightly with spoon. Then put the coffee basket back to the bottom cover and switch it tightly back to the water chamber.



Open the pump lid, press on the button to release pump from the LOCK position. Fill the water chamber with 150-180ml hot water (95°C or higher), then press consistently with one pumping per second to build the pressure. For a better extraction result, please hold for blooming about 10 seconds after the first drop extraction. Then keep pumping until all water is gone. Get your delicious coffee and enjoy!



## Making coffee puck

(please proceed this only after the coffee basket is cool down.)



1. Open the pump to pour out the remained water after usage.
2. As shown in the picture, upside down the water chamber and press down the coffee basket filter.
3. Unscrew the bottom cover, then take out the coffee basket and push the filter valve slowly to shape the coffee puck.


## I Normal Cleaning

First, open the pump to release pressure inside the water chamber, and pour out the hot water that may remain on it. Then unscrew the bottom cover to clean, beware of hot coffee that may remain on the coffee basket. Last, clean the coffee basket and coffee cup.

## II Clean Thoroughly

### Coffee Basket Filter


Pressing the coffee basket filter to take apart the mesh filter and pressure valve, wash the filter with running water and clean it with brush if needed.



### Water Chamber Filter

Disassembly: Pull on the gasket handle to take out the water chamber filter.

Installation: Install the filter into the water chamber with the gasket handle side down, and press to make it fit well.



## III Storage

Clean and dry all the parts. Lock the pump lid inside and assemble all the parts back to the unit before storage .

1. The water chamber is not a sealed container, can not be used for daily storage.
2. Do check if the coffee basket filter is still inside the basket after you dump the coffee grounds.
3. Please screw the bottom cover tightly enough to the water chamber to make sure the unit works properly.
4. Please clean the unit in a short time after making coffee to keep the pump away from being blocked by dry coffee.

### Tips

1. Ground coffee size is recommended to be like fine sugar, or use STARESSO DISCOVERY coffee grinder in click 1~3.
2. STARESSO X Rock2Mroe pack is great partner to make Latte, Cappuccino and kinds of frothed bubble coffee drinks.

## CUSTOMERS SERVICES

STARESSO offers local customers services by domestic distributors accordingly to national regulations. For further cooperation information or any question, please contact us anytime and we are sure to be back to you within 48 hours.